Cherry Hill Glass 20 Elm St Branford CT 06405

TAILGATE/TOOLBOX SAFETY TRAINING

Safety Services Company-Safety Meeting Division, PO Box 6408 Yuma, AZ 85366-6408 Toll Free (866) 204-4786

		() FFT\ /
-		SAFETY
1		SERVICES
1	81	CIDIVALC
1		COMPANY

Job Name:	Job Site Location:
	Finish Time: Foreman/Supervisor:
Introduction: Emergency Action/Response Pemergency situations. This plan is designed for an event understand their area of responsibility. The emergency action plan shall be in writing and shall cover those designated actions employ. The emergency action plan should address emergency action plan should list in detail the procedures to for essential plant operations until their evacuat monitoring of power or other essential services. Following are the minimum elements that shall are mergency escape procedures and escape Procedures to be followed by employees to operate critical operations before their Procedures to account for all employees emergency evacuation has been completed. The preferred means of reporting fires at Before implementing the emergency action plan umber of persons to assist in the safe and order. A list of refuge/safe zones will be specifically and workplace maps of the end of the	Rescue and medical duties for those employees who are to perform them. Names or regular job titles of persons or departments who can be contacted for further information or explanation of duties under the plan. In the employer shall designate and train a sufficient evacuation of employees. The training includes: which clearly show the emergency escape routes included in the emergency action plan. The employer shall be partnered with another employee. The training includes: which clearly show the emergency escape routes included in the emergency action plan. The employee shall be partnered with another employee. The training includes: which clearly show the emergency escape routes included in the emergency action plan. The employee is permitted to appropriate personnel (after determination has been made that such re-entry is safe). The eached their evacuation destinations, each trained evacuation employee shall: The wassume role of department contact to answer questions are accounted for the employee alarm system. If the employee alarm system is used for alerting fire brigade members, or for cose shall be used. The employer shall review with each employee upon initial assignment those parts of the plan which the employee must know to protect the employee review. The written plan shall be kept at the workplace and made available for employee review. The written plan shall be kept at the workplace and made available for employee review. The written plan shall be kept at the workplace and made available for employee review. The written plan shall be kept at the workplace and made available for employee review. The written plan shall be kept at the workplace and made available for employee review. The written plan shall be kept at the workplace and made available for employee review. The written plan shall be kept at the workplace and made available for employee review.
W. J. C't. H	Work Site Review
Work-Site Hazards and Safety Suggestions	:
Personnel Safety Violations:	
Employee Signatures:	(My signature attests and verifies my understanding of and agreement to comply with, all company safety policies and regulations, and that I have not suffered, experienced, or sustained any recent job-related injury or illness.

Cherry Hill Glass Foreman/Supervisor's Signature:

These guidelines do not supercede local, state, or federal regulations and must not be construed as a substitute for, or legal interpretation of, any OSHA regulations.